

THE JOURNAL OF RAPTOR RESEARCH

A QUARTERLY PUBLICATION OF THE RAPTOR RESEARCH FOUNDATION, INC.

VOL. 28

SEPTEMBER 1994

No. 3

J. Raptor Res. 28(3):125-126

© 1994 The Raptor Research Foundation, Inc.

A SYMPOSIUM ON USING NEST BOXES TO STUDY RAPTORS: DO THE BOXES PROVIDE VIRTUAL REALITY?

FREDERICK R. GEHLBACH, COORDINATOR

Department of Biology, Baylor University, Waco, TX 76798 U.S.A.

Despite the widespread use of nest boxes to study cavity-nesting raptors, investigators have paid scant attention to the naturalness versus artificiality of their findings. Many have not compared life history and population data from nest boxes (experimental treatments) with paired data obtained at natural cavities (presumed controls). In Nero et al. (1987), for example, none of the four contributions employing nest boxes describes the methodology in comparative detail with respect to natural nest sites. This is unfortunate, because nest boxes may or may not be effective in conserving raptors faced with declining natural habitats.

Møller (1989, 1992) and Clobert and Lebreton (1991) have criticized the naturalness of nest-box studies, although some of Møller's observations were rebutted by Koenig et al. (1992). To learn more about this problem, a symposium was held in connection with the joint meeting of the Hawk and Owl Trust and Raptor Research Foundation at the University of Kent, Canterbury, England, in September 1993. The symposium was designed to answer questions about the validity of nest-box versus natural-cavity information in studying owls and kestrels. We hope our contributions will instigate further work wherein appropriate attention is paid to nest-box methods.

The five papers that follow this introduction and one other¹ were presented at the symposium. Gary

Bortolotti gives results of an experimental study showing the effects of nest-box size on reproduction in American kestrels (*Falco sparverius*). Steve Petty, Geoff Shaw, and David Anderson show how nest boxes can be used to study owl populations and a conservation technique in tawny owls (*Strix aluco*) and barn owls (*Tyto alba*). Anders Møller examines possible problems affecting the interpretation of data from nest-box studies. Paul Johnson compares reproduction in barn owls between nest boxes and natural nest sites. Fred Gehlbach tests for differences in nest site choice and reproductive performance between natural nest sites and nest boxes in the eastern screech-owl (*Otus asio*).

Major findings are that boxes were preferred nest sites compared to natural cavities (all species except *O. asio*), boxes did not increase nesting density (except *T. alba*), there was no relationship between box size and either clutch size or fledgling output (*O. asio* and *F. sparverius*), and productivity was the same in boxes and cavities (*O. asio* and *T. alba*).

Nest boxes appear to be adequate substitutes for natural cavities by providing quasi-natural nesting space and unbiased information about population size and productivity. Their general use for studying raptor biology is thus validated. However, we advocate the simultaneous monitoring of box and natural-cavity nests in every study. We conclude that conservationists may replace or rejuvenate cavity-nesting raptor populations by using nest boxes in appropriate foraging habitat.

ACKNOWLEDGMENTS

We greatly appreciate the work of Mike Nicholls in scheduling this symposium, Carl Marti in managing its publication, and Walter Koenig in reviewing the entire copy.

¹ Hubertus Illner's symposium contribution, "Population Changes and Breeding Biology of Little Owls (*Athene noctua*) in Natural Holes and Nest Boxes," will be published elsewhere.

LITERATURE CITED

- CLOBERT, J. AND J.D. LEBRETON. 1991. Estimation of demographic parameters in bird populations. Pages 75-104 in C.M. Perrins, J.D. Lebreton, and G.J.M. Hiron [EDS.], *Bird population studies: relevance to conservation and management*. Oxford Univ. Press, New York, NY U.S.A.
- KOENIG, W.D., P.A. GOWATY AND J.L. DICKINSON. 1992. Boxes, barns, and bridges: confounding factors or exceptional opportunities in ecological studies. *Oikos* 63:305-308.
- MØLLER, A.P. 1989. Parasites, predators and nest boxes: facts and artefacts in nest box studies of birds? *Oikos* 56:421-423.
- . 1992. Nest boxes and the scientific rigour of experimental studies. *Oikos* 63:309-311.
- NERO, R.W., R.J. CLARK, R.J. KNAPTON AND R.H. HAMRE [EDS.]. 1987. *Biology and conservation of northern forest owls*. Gen. Tech. Rep. RM-142, Rocky Mountain Forest and Range Exp. Sta., U.S. Forest Serv., Ft. Collins, CO U.S.A.